

ED-II Electric Chain Hoist

Technical Information

NOC**MATERIAL SAFETY DATA SHEET**

Note: Read and understand Material Safety Data Sheet before handling or disposing of product.

NIPPON OIL COMPANY, LTD.

Effective date: 27 Aug. 96

Issued date: 27 Aug. 96

MSDS No. 403001

SECTION 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**COMPANY IDENTIFICATION**

NIPPON OIL COMPANY, LTD.

3-12, Nishi Shimbashi 1-chome, Minato-ku, Tokyo, 105 Japan

EMERGENCY TELEPHONE NUMBER: +81-3-3502-9156**TELEPHONE NUMBER FOR INFORMATION:** +81-3-3502-1111**FAX NUMBER FOR INFORMATION:** +81-3-3502-9364**PRODUCT NAME:****PRODUCT USE:**PAN Automatic D2
Automatic transmission fluid**SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS****COMPOSITION**

<u>Components</u>	<u>Amount(%)</u>	<u>Limit</u>
Highly refined petroleum oil	> 88	5 mg/m ³ TWA-OSHA (Mineral Oil Mist #1) 5 mg/m ³ TWA-ACGIH (Mineral Oil Mist #1) 10 mg/m ³ STEL-ACGIH (Mineral Oil Mist #1)
Additives ATF Additives	< 12	

Hazardous information

Product is non-hazardous. (1910,1200 OSHA)

#1 Highly refined petroleum oil, by definition, is considered hazardous according to OSHA. Because it carries the Threshold limit value (TLV) for mineral oil mist.

SECTION 3 HAZARDS IDENTIFICATION**EMERGENCY OVERVIEW****Appearance:** Red liquid**Odor:** Slight odor**Warning statement:**

Caution! Prolonged or repeated contact with skin may cause irritation in some cases.

Precautionary Measures: Avoid breathing vapor and mist. Keep container closed.

Avoid contact with eyes, skin, and clothing.

Wash thoroughly after handling. Keep away from heat.

Potential health effect:**Eyes:** May cause minor irritation.**Skin:** May cause minimal skin irritation.**Inhalation:** Vapor or mist, in excess of permissible concentrations, or in unusually high concentrations generated from spraying, heating the material, or as from exposure in poorly ventilated areas or confined spaces, may cause irritation of the nose and throat, headache, nausea, and drowsiness.**Ingestion:** May cause abdominal discomfort, nausea, or diarrhea.**Sensitization properties:** Unknown**Chronic Properties:** If prolonged exposure occurs, nausea, headache, diarrhea, and physical discomfort.**Other remarks:** None

SECTION 4 FIRST AID MEASURES

Eyes: Flush immediately with water for at least 15 minutes. Get immediate medical attention.
Skin: Wash with soap and water. Get medical attention if irritation develops.
 Launder contaminated clothing before reuse.
Inhalation: Remove exposed person to fresh air if adverse effects are observed.
Ingestion: If swallowed, induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Note to physician : Treat symptomatically.

SECTION 5 FIRE FIGHTING MEASURES

Flash point (Typical), °C	191(COC)
Autoignition temp., °C	Not Determined.
Flammability limits	Not Determined.
Extinguishing media:	CO ₂ , dry chemical, or foam .
Special fire fighting procedures:	Recommend wearing self-contained breathing apparatus. Water may cause splattering. Material will float on water.
Unusual fire & explosion hazards:	Toxic fumes, gases or vapors may evolve on burning.
Autoignition temperature:	Not determined.
Explosion data:	Material does not have explosive properties.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Procedures In Case of Accidental Release, Breakage or Leakage:
 Stop the source of the leak or release. Clean up releases as soon as possible. Contain liquid to prevent further contamination of soil, surface water or groundwater. Clean up small spills using appropriate techniques such as sorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Follow prescribed procedures for reporting and responding to larger releases.

SECTION 7 HANDLING AND STORAGE

Do not weld, heat or drill container. Replace cap or bung. Emptied container still contains hazardous material which may ignite with explosive violence if heated sufficiently.
 Minimum feasible handling temperatures should be maintained.
 Periods of exposure to high temperatures should be minimized.
 Water contamination should be avoided.
CAUTION: Do not use pressure to empty drum or drum may rupture with explosive force.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection: Chemical type goggles or face shield optional.
Skin Protection: Avoid prolonged or frequently repeated skin contact by wearing impervious protective clothing including gloves.
Respiratory Protection: Wear a breathing mask.
Ventilation: No special ventilation is usually necessary. However, if operating conditions create high air borne concentrations of this material, special ventilation may be needed.
Other clothing and Equipment : No special clothing or equipment is usually necessary, Work practices, hygienic practices: No information is available.
Other handling and storage requirements: No information is available.
Protective measures during maintenance of contaminated equipment: N.D.A.

N.D.A.: No Data Available
 <: Less Than

N.A.: Not Applicable
 >: Greater Than

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Odor		Slight odor
Appearance		Red liquid
pH of undiluted product		N.D.A.
Vapor pressure		N.D.A.
Vapor density		N.D.A.
Boiling point	°C	N.D.A.
Melting point	°C	N.D.A.
Solubility		Insoluble in water.
Density	@15°C g/cm ³	0.869
Pour point	°C	-42.5
Viscosity	@40°C mm ² /s	34.81
	@100°C mm ² /s	6.938
Percent volatile	%	N.D.A.

SECTION 10 STABILITY AND REACTIVITY

Stability: Stable Unstable

Conditions to Avoid: See the Handling and storage section for further details.

Incompatibility (materials to avoid): Acids. Oxidizing agents. Halogens and halogenated compounds.

Hazardous Polymerization: May occur Will not occur

Thermal decomposition: Smoke, carbon monoxide, aldehydes and other products of incomplete combustion. Hydrogen sulfide and alkyl mercaptans and sulfides may also be released. Under combustion conditions, oxides of the following elements will be formed: Calcium, Sulfur, Zinc.

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Oral:	N.D.A.:	Believed to be greater than 5 g/kg (rat) Practically non-toxic
Dermal:	N.D.A.:	Believed to be greater than 3 g/kg (rabbit) Practically non-toxic

SECTION 12 ECOLOGICAL INFORMATION

Biodegradation: N. D. A.

Environmental fate: This material is not expected to present any environmental problems other than those associated with oil spills.

SECTION 13 DISPOSAL CONSIDERATIONS

Waste Disposal Method

Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations. Contact local environmental or health authorities for approved disposal of this material.

SECTION 14 TRANSPORT INFORMATION

The description shown may not apply to all shipping situations.

DOT	Proper Shipping Name:	Not applicable.
IMDG	Proper Shipping Name:	Not applicable.
ICAO	Proper Shipping Name:	Not applicable.
TDG	Proper Shipping Name:	Not applicable.
NFPA	Proper name:	Class 1.

N.D.A.: No Data Available
<: Less Than

N.A.: Not Applicable
>: Greater Than

SECTION 15 REGULATION INFORMATION

The U.S. TSCA inventory:	All components of this material are on the US TSCA inventory.
The EC EINECS inventory:	All components of this material are on the EC EINECS inventory.
The CANADA DSL inventory:	May require notification before sale in CANADA.
The AUSTRALIA AICS inventory:	All components of this material are on the AICS inventory.
The KOREA TCCL inventory:	May require notification before sale in KOREA.
The PHILIPPINE PICCS inventory:	May require notification before sale in PHILIPPINE.

SECTION 16 OTHER INFORMATION

None

References

1. *Handbook of Toxic and Hazardous Chemicals and Carcinogens* (2nd ed.)
2. *Registry of Toxic Effects of Chemical Substances* (NIOSH, 1983)

Material safety data sheets are provided as reference information on the safe handling of hazardous or harmful materials to companies using such materials. When referring to this data sheet, companies should remember that they must take responsibility for implementing the proper measures for their own particular situations. This data sheet is not a guarantee of safety.

Technical Information

NOC**MATERIAL SAFETY DATA SHEET**

Note: Read and understand Material Safety Data Sheet before handling or disposing of product.

NIPPON OIL COMPANY, LTD.

Effective date: 27 Aug. 96

Issued date: 27 Aug. 96

MSDS No. 414005

SECTION 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

COMPANY IDENTIFICATION NIPPON OIL COMPANY, LTD.
3-12, Nishi Shimbashi 1-chome, Minato-ku, Tokyo, 105 Japan

EMERGENCY TELEPHONE NUMBER: +81-3-3502-9156
TELEPHONE NUMBER FOR INFORMATION: +81-3-3502-1111
FAX NUMBER FOR INFORMATION: +81-3-3502-9364

PRODUCT NAME: Antoll Super B ✓
PRODUCT USE: Common lubricating oil for tractors

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS**COMPOSITION**

<u>Components</u>	<u>Amount(%)</u>	<u>Limit</u>
Highly refined petroleum oil	> 92	5 mg/m ³ TWA-OSHA (Mineral Oil Mist #1) 5 mg/m ³ TWA-ACGIH (Mineral Oil Mist #1) 10 mg/m ³ STEL-ACGIH (Mineral Oil Mist #1)
Additives	< 8	
Oxidation inhibitors		
Detergents-dispersants		
Anti-foam additives		

Hazardous information

Product is non-hazardous. (1910, 1200 OSHA)

#1 Highly refined petroleum oil, by definition, is considered hazardous according to OSHA.
Because it carries the Threshold limit value (TLV) for mineral oil mist.

SECTION 3 HAZARDS IDENTIFICATION**EMERGENCY OVERVIEW****Appearance:** Light brown liquid**Odor:** Slight odor**Warning statement:**

Caution! Prolonged or repeated contact with skin may cause irritation in some cases.

Precautionary Measures: Avoid breathing vapor and mist. Keep container closed.

Avoid contact with eyes, skin, and clothing.

Wash thoroughly after handling. Keep away from heat.

Potential health effect:**Eyes:** May cause minor irritation.**Skin:** May cause minimal skin irritation.**Inhalation:** Vapor or mist, in excess of permissible concentrations, or in unusually high concentrations generated from spraying, heating the material, or as from exposure in poorly ventilated areas or confined spaces, may cause irritation of the nose and throat, headache, nausea, and drowsiness.**Ingestion:** May cause abdominal discomfort, nausea, or diarrhea.**Sensitization properties:** Unknown**Chronic Properties:** If prolonged exposure occurs, nausea, headache, diarrhea, and physical discomfort.**Other remarks:** None

SECTION 4 FIRST AID MEASURES

Eyes: Flush immediately with water for at least 15 minutes. Get immediate medical attention.
Skin: Wash with soap and water. Get medical attention if irritation develops.
 Launder contaminated clothing before reuse.
Inhalation: Remove exposed person to fresh air if adverse effects are observed.
Ingestion: If swallowed, induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Note to physician : Treat symptomatically.

SECTION 5 FIRE FIGHTING MEASURES

Flash point (Typical), °C 234(COC)
Autoignition temp., °C Not Determined.
Flammability limits Not Determined.
Extinguishing media: CO₂, dry chemical, or foam .
Special fire fighting procedures: Recommend wearing self-contained breathing apparatus. Water may cause splattering. Material will float on water.
Unusual fire & explosion hazards: Toxic fumes, gases or vapors may evolve on burning.
Autoignition temperature: Not determined.
Explosion data: Material does not have explosive properties.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Procedures in Case of Accidental Release, Breackage or Leakage:
 Stop the source of the leak or release. Clean up releases as soon as possible. Contain liquid to prevent further contamination of soil, surface water or groundwater. Clean up small spills using appropriate techniques such as sorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Follow prescribed procedures for reporting and responding to larger releases.

SECTION 7 HANDLING AND STORAGE

Do not weld, heat or drill container. Replace cap or bung. Emptied container still contains hazardous material which may ignite with explosive violence if heated sufficiently.
 Minimum feasible handling temperatures should be maintained.
 Periods of exposure to high temperatures should be minimized.
 Water contamination should be avoided.
CAUTION: Do not use pressure to empty drum or drum may rupture with explosive force.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection: Chemical type goggles or face shield optional.
Skin Protection: Avoid prolonged or frequently repeated skin contact by wearing impervious protective clothing including gloves.
Respiratory Protection: Wear a breathing mask.
Ventilation: No special ventilation is usually necessary. However, if operating conditions create high air borne concentrations of this material, special ventilation may be needed.
Other clothing and Equipment : No special clothing or equipment is usually necessary.
Work practices, hygienic practices: No information is available.
Other handling and storage requirements: No information is available.
Protective measures during maintenance of contaminated equipment: N.D.A.

N.D.A.: No Data Available
 <: Less Than

N.A.: Not Applicable
 >: Greater Than

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Odor		Slight odor
Appearance		Light brown liquid
pH of undiluted product		N.D.A.
Vapor pressure		N.D.A.
Vapor density		N.D.A.
Boiling point	°C	N.D.A.
Melting point	°C	N.D.A.
Solubility		Insoluble in water.
Density	@15°C g/cm ³	0.885
Pour point	°C	-42.5
Viscosity	@40°C mm ² /s	58.33
	@100°C mm ² /s	8.405
Percent volatile	%	N.D.A.

SECTION 10 STABILITY AND REACTIVITY

Stability: Stable Unstable
 Conditions to Avoid: See the Handling and storage section for further details.
 Incompatibility (materials to avoid): Acids. Oxidizing agents. Halogens and halogenated compounds.
 Hazardous Polymerization: May occur Will not occur
 Thermal decomposition: Smoke, carbon monoxide, aldehydes and other products of incomplete combustion. Hydrogen sulfide and alkyl mercaptans and sulfides may also be released. Under combustion conditions, oxides of the following elements will be formed: Calcium, Sulfur, Zinc.

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Oral: N.D.A.: Believed to be greater than 5 g/kg (rat)
 Practically non-toxic
 Dermal: N.D.A.: Believed to be greater than 3 g/kg (rabbit)
 Practically non-toxic

SECTION 12 ECOLOGICAL INFORMATION

Biodegradation: N. D. A.
 Environmental fate: This material is not expected to present any environmental problems other than those associated with oil spills.

SECTION 13 DISPOSAL CONSIDERATIONS

Waste Disposal Method

Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations. Contact local environmental or health authorities for approved disposal of this material.

SECTION 14 TRANSPORT INFORMATION

The description shown may not apply to all shipping situations.

DOT Proper Shipping Name:	Not applicable.
IMDG Proper Shipping Name:	Not applicable.
ICAO Proper Shipping Name:	Not applicable.
TDG Proper Shipping Name:	Not applicable.
NFPA Proper name:	Class 1.

N.D.A.: No Data Available
 <: Less Than

N.A.: Not Applicable
 >: Greater Than

SECTION 15 REGULATION INFORMATION

414005

The U.S. TSCA inventory: All components of this material are on the US TSCA inventory.
The EC EINECS inventory: All components of this material are on the EC EINECS inventory.
The CANADA DSL inventory: May require notification before sale in CANADA.
The AUSTRALIA AICS inventory: May require notification before sale in AUSTRALIA.
The KOREA TCCL inventory: May require notification before sale in KOREA.
The PHILIPPINE PICCS inventory: N.D.A.

SECTION 16 OTHER INFORMATION

None

References

1. *Handbook of Toxic and Hazardous Chemicals and Carcinogens* (2nd ed.)
2. *Registry of Toxic Effects of Chemical Substances* (NIOSH, 1983)

Material safety data sheets are provided as reference information on the safe handling of hazardous or harmful materials to companies using such materials. When referring to this data sheet, companies should remember that they must take responsibility for implementing the proper measures for their own particular situations. This data sheet is not a guarantee of safety.