


Figure 1



Hook should be replaced

Figure 2

Model	Cap. (Tons)	Std. "g" dimension mm (in.)	Discard "g" dimension mm (in.)	Std. "u" dimension mm (in.)	Discard "u" dimension mm (in.)	Std. "k" dimension mm (in.)	Discard "k" dimension mm (in.)
L3LB	3/4, 1	20 (0.79)	23 (0.91)	20.5 (0.81)	18 (0.71)	No boss marks to reference.	
	1 1/2, 2	27 (1.06)	31 (1.22)	27 (1.06)	24 (0.94)		
	3	35 (1.38)	40 (1.59)	38 (1.50)	34 (1.34)		
	6	43 (1.69)	49 (1.95)	48.5 (1.91)	44 (1.73)		
L4LB	3/4	23.5 (0.93)	25.7 (1.01)	19.6 (0.77)	18 (0.71)	43.0(1.69)	45.2 (1.78)
	1	23.5 (0.93)	25.7 (1.01)	19.6 (0.77)	18 (0.71)	43.0 (1.69)	45.2 (1.78)
	1 1/2	32 (1.26)	34.6 (1.36)	25.7 (1.01)	23 (0.91)	51.9 (2.04)	54.6 (2.15)
	2	32 (1.26)	34.6 (1.36)	25.7 (1.01)	23 (0.91)	51.9 (2.04)	54.6 (2.15)
	3	39.5 (1.56)	42.8 (1.68)	33 (1.32)	30 (1.18)	64.9 (2.56)	68.3 (2.69)
	6	50 (1.97)	54.3 (2.14)	48.7 (1.92)	44 (1.73)	84.6 (3.33)	89.3 (3.51)
	9	72.5 (2.85)	78.5 (3.09)	63 (2.48)	57 (2.24)	120.4 (4.74)	126 (4.96)
L5LB	3/4	23.5 (.93)	25.7 (1.01)	19.6 (.77)	18.6 (.73)	44.0 (1.73)	46.2 (1.82)
	1	29 (1.14)	31.6 (1.24)	21.0 (.83)	20.0 (.79)	52.0 (2.05)	54.6 (2.15)
	1 1/2	32 (1.26)	34.8 (1.37)	25.7 (1.01)	24.4 (.96)	55.0 (2.17)	57.8 (2.27)
	2 & 2 3/4	36.5 (1.44)	39.7 (1.56)	29.0 (1.14)	27.6 (1.09)	63.0 (2.48)	66.2 (2.60)
	3	39 (1.54)	42.4 (1.67)	31.0 (1.22)	29.5 (1.16)	67.0 (2.64)	70.4 (2.77)
	6	50 (1.97)	54.5 (2.15)	41.0 (1.61)	39.0 (1.54)	90.0 (3.54)	94.5 (3.72)
	9	72.5 (2.85)	78.1 (3.07)	52.0 (2.05)	49.4 (1.95)	111.0 (4.37)	116.6 (4.59)
LX	1/4	21 (0.83)	22.8 (0.90)	12.5 (0.49)	11.9 (0.47)	39 (1.54)	41.0 (1.61)
	1/2	24.5 (0.96)	26.6 (1.05)	15 (0.59)	14.3 (0.56)	45.5 (1.79)	47.9 (1.89)

Model	Cap. (Tons)	Std. "g" dimension mm (in.)	Discard "g" dimension mm (in.)	Std. "u" dimension mm (in.)	Discard "u" dimension mm (in.)	Std. "k" dimension mm (in.)	Discard "k" dimension mm (in.)
CBM2	1/2	22 (0.87)	25.3 (1.00)	20.5 (0.81)	18.5 (0.73)	No boss marks to reference.	
	1	24 (0.94)	28 (1.09)	27 (1.06)	24.5 (0.96)		
	1 1/2	29 (1.14)	33 (1.31)	32.5 (1.28)	29.5 (1.15)		
	2	29 (1.14)	33 (1.31)	35 (1.38)	31.5 (1.24)		
	3	35 (1.38)	40 (1.59)	41.5 (1.63)	37.5 (1.47)		
	5	43 (1.69)	49 (1.95)	51 (2.01)	46 (1.81)		
	6	43 (1.69)	49 (1.95)				
	10	62 (2.44)	71 (2.81)	73 (2.87)	66 (2.60)	120.4 (4.74)	138.46 (5.45)
	15	79 (3.11)	91 (3.58)	87 (3.43)	78 (3.07)	No boss marks to reference.	
	20	80 (3.15)	92 (3.62)	99 (3.90)	89 (3.50)		
30	97 (3.82)	112 (4.41)	123 (4.84)	111 (4.37)			
CBM3	1/2	27 (1.06)	29.2 (1.15)	17 (0.67)	15 (0.59)	44.60 (1.76)	46.8 (1.84)
	1	29 (1.14)	31.4 (1.24)	21.8 (0.86)	20 (0.79)	48.84 (1.92)	51.2 (2.02)
	1 1/2	34 (1.34)	36.8 (1.45)	26.5 (1.04)	24 (0.94)	56.33 (2.22)	59.1 (2.33)
	2	36 (1.42)	39 (1.54)	30 (1.18)	27 (1.06)	59.91 (2.36)	62.9 (2.48)
	2 1/2	40 (1.57)	43.2 (1.70)	33.5 (1.32)	30 (1.18)	64.13 (2.52)	67.3 (2.65)
	3	42.5 (1.67)	46 (1.81)	37.5 (1.48)	34 (1.34)	69.05 (2.72)	72.6 (2.86)
	5	46.5 (1.83)	50.4 (1.98)	47.5 (1.87)	43 (1.69)	77.83 (3.06)	81.7 (3.22)
CF	1/2	27 (1.06)	29.2 (1.15)	17 (0.67)	15 (0.59)	44.60 (1.76)	46.8 (1.84)
	1	29 (1.14)	31.4 (1.24)	21.8 (0.86)	20 (0.79)	48.84 (1.92)	51.2 (2.02)
	1 1/2	34 (1.34)	36.8 (1.45)	26.5 (1.04)	24 (0.94)	56.33 (2.22)	59.1 (2.33)
	2	36 (1.42)	39 (1.54)	30 (1.18)	27 (1.06)	59.91 (2.36)	62.9 (2.48)
	3	42.5 (1.67)	46 (1.81)	37.5 (1.48)	34 (1.34)	69.05 (2.72)	72.6 (2.86)
	5	46.5 (1.83)	50.4 (1.98)	47.5 (1.87)	43 (1.69)	77.83 (3.06)	81.7 (3.22)

Model	Cap. (Tons)	Std. "g" dimension mm (in.)	Discard "g" dimension mm (in.)	Std. "u" dimension mm (in.)	Discard "u" dimension mm (in.)	Std. "k" dimension mm (in.)	Discard "k" dimension mm (in.)
ES,EF	1/4, 1/2 Top	28 (1.02)	30.3 (1.19)	23.5 (0.93)	21 (0.83)	45.90 (1.81)	52.78 (2.08)
	1/4, 1/2 Bot	24 (0.94)	25.2 (0.99)	42.00 (1.65)	48.30 (1.90)	No boss marks to reference.	
	1	31 (1.22)	33.5 (1.32)	31 (1.22)	28 (1.10)	49.80 (1.96)	57.27 (2.25)
	1 1/2 Top	37 (1.46)	40.1 (1.58)	40 (1.57)	36 (1.42)	62.50 (2.46)	71.88 (2.83)
	1 1/2 Bot	34 (1.34)	37 (1.46)	36.5 (1.44)	33 (1.30)	59.80 (2.35)	68.77 (2.71)
	2	37 (1.46)	40.1 (1.58)	40 (1.57)	36 (1.42)	62.50 (2.46)	71.88 (2.83)
	2 1/2 Top	44 (1.75)	48.7 (1.92)	47.5 (1.87)	43 (1.69)	93.91 (3.70)	108.00 (4.25)
	2 1/2 Bot	40 (1.57)	44.4 (1.75)	43.5 (1.71)	39 (1.54)	88.12 (3.47)	101.34 (3.99)
	3	44 (1.75)	48.7 (1.92)	47.5 (1.87)	43 (1.69)	93.91 (3.70)	108.00 (4.25)
	5	46 (1.81)	49.9 (1.96)	56 (2.20)	50 (1.97)	78.24 (3.08)	89.98 (3.54)
	7 1/2, 8	62 (2.44)	68 (2.68)	73 (2.87)	66 (2.60)	120.4 (4.74)	138.46 (5.45)
	10	62 (2.44)	68 (2.68)	73 (2.87)	66 (2.60)	120.4 (4.74)	138.46 (5.45)
	15	79 (3.11)	83 (3.27)	87 (3.43)	78 (3.07)	No boss marks to reference.	
	20	86 (3.39)	90.3 (3.56)	99.5 (3.92)	90 (3.54)		