

Figure 1




Figure 2

| Model | Cap. (Tons) | Std. "g" dimension mm (in.) | Discard "g" dimension mm (in.) | Std. "u" dimension mm (in.) | Discard "u" dimension mm (in.) | Std. "k" dimension mm (in.) | Discard "k" dimension mm (in.) |
|-------|-------------|-----------------------------|--------------------------------|-----------------------------|--------------------------------|-----------------------------|--------------------------------|
| L3LB | 3/4, 1 | 20 (0.79) | 23 (0.91) | 20.5 (0.81) | 18 (0.71) | No boss marks to reference. | |
| | 1 1/2, 2 | 27 (1.06) | 31 (1.22) | 27 (1.06) | 24 (0.94) | | |
| | 3 | 35 (1.38) | 40 (1.59) | 38 (1.50) | 34 (1.34) | | |
| | 6 | 43 (1.69) | 49 (1.95) | 48.5 (1.91) | 44 (1.73) | | |
| L4LB | 3/4 | 23.5 (0.93) | 25.7 (1.01) | 19.6 (0.77) | 18 (0.71) | 43.0(1.69) | 45.2 (1.78) |
| | 1 | 23.5 (0.93) | 25.7 (1.01) | 19.6 (0.77) | 18 (0.71) | 43.0 (1.69) | 45.2 (1.78) |
| | 1 1/2 | 32 (1.26) | 34.6 (1.36) | 25.7 (1.01) | 23 (0.91) | 51.9 (2.04) | 54.6 (2.15) |
| | 2 | 32 (1.26) | 34.6 (1.36) | 25.7 (1.01) | 23 (0.91) | 51.9 (2.04) | 54.6 (2.15) |
| | 3 | 39.5 (1.56) | 42.8 (1.68) | 33 (1.32) | 30 (1.18) | 64.9 (2.56) | 68.3 (2.69) |
| | 6 | 50 (1.97) | 54.3 (2.14) | 48.7 (1.92) | 44 (1.73) | 84.6 (3.33) | 89.3 (3.51) |
| | 9 | 72.5 (2.85) | 78.5 (3.09) | 63 (2.48) | 57 (2.24) | 120.4 (4.74) | 126 (4.96) |
| L5LB | 3/4 | 23.5 (.93) | 25.7 (1.01) | 19.6 (.77) | 18.6 (.73) | 44.0 (1.73) | 46.2 (1.82) |
| | 1 | 29 (1.14) | 31.6 (1.24) | 21.0 (.83) | 20.0 (.79) | 52.0 (2.05) | 54.6 (2.15) |
| | 1 1/2 | 32 (1.26) | 34.8 (1.37) | 25.7 (1.01) | 24.4 (.96) | 55.0 (2.17) | 57.8 (2.27) |
| | 2 & 2 3/4 | 36.5 (1.44) | 39.7 (1.56) | 29.0 (1.14) | 27.6 (1.09) | 63.0 (2.48) | 66.2 (2.60) |
| | 3 | 39 (1.54) | 42.4 (1.67) | 31.0 (1.22) | 29.5 (1.16) | 67.0 (2.64) | 70.4 (2.77) |
| | 6 | 50 (1.97) | 54.5 (2.15) | 41.0 (1.61) | 39.0 (1.54) | 90.0 (3.54) | 94.5 (3.72) |
| | 9 | 72.5 (2.85) | 78.1 (3.07) | 52.0 (2.05) | 49.4 (1.95) | 111.0 (4.37) | 116.6 (4.59) |
| LX | 1/4 | 21 (0.83) | 22.8 (0.90) | 12.5 (0.49) | 11.9 (0.47) | 39 (1.54) | 41.0 (1.61) |
| | 1/2 | 24.5 (0.96) | 26.6 (1.05) | 15 (0.59) | 14.3 (0.56) | 45.5 (1.79) | 47.9 (1.89) |

| Model | Cap. (Tons) | Std. "g" dimension mm (in.) | Discard "g" dimension mm (in.) | Std. "u" dimension mm (in.) | Discard "u" dimension mm (in.) | Std. "k" dimension mm (in.) | Discard "k" dimension mm (in.) |
|-------|-------------|-----------------------------------|--------------------------------------|-----------------------------------|--------------------------------------|-----------------------------------|--------------------------------------|
| CBM2 | 1/2 | 22 (0.87) | 25.3 (1.00) | 20.5 (0.81) | 18.5 (0.73) | No boss marks to reference. | |
| | 1 | 24 (0.94) | 28 (1.09) | 27 (1.06) | 24.5 (0.96) | | |
| | 1 1/2 | 29 (1.14) | 33 (1.31) | 32.5 (1.28) | 29.5 (1.15) | | |
| | 2 | 29 (1.14) | 33 (1.31) | 35 (1.38) | 31.5 (1.24) | | |
| | 3 | 35 (1.38) | 40 (1.59) | 41.5 (1.63) | 37.5 (1.47) | | |
| | 5 | 43 (1.69) | 49 (1.95) | 51 (2.01) | 46 (1.81) | | |
| | 6 | 43 (1.69) | 49 (1.95) | | | | |
| | 10 | 62 (2.44) | 71 (2.81) | 73 (2.87) | 66 (2.60) | 120.4 (4.74) | 138.46 (5.45) |
| | 15 | 79 (3.11) | 91 (3.58) | 87 (3.43) | 78 (3.07) | No boss marks to reference. | |
| | 20 | 80 (3.15) | 92 (3.62) | 99 (3.90) | 89 (3.50) | | |
| 30 | 97 (3.82) | 112 (4.41) | 123 (4.84) | 111 (4.37) | | | |
| CBM3 | 1/2 | 27 (1.06) | 29.2 (1.15) | 17 (0.67) | 15 (0.59) | 44.60 (1.76) | 46.8 (1.84) |
| | 1 | 29 (1.14) | 31.4 (1.24) | 21.8 (0.86) | 20 (0.79) | 48.84 (1.92) | 51.2 (2.02) |
| | 1 1/2 | 34 (1.34) | 36.8 (1.45) | 26.5 (1.04) | 24 (0.94) | 56.33 (2.22) | 59.1 (2.33) |
| | 2 | 36 (1.42) | 39 (1.54) | 30 (1.18) | 27 (1.06) | 59.91 (2.36) | 62.9 (2.48) |
| | 2 1/2 | 40 (1.57) | 43.2 (1.70) | 33.5 (1.32) | 30 (1.18) | 64.13 (2.52) | 67.3 (2.65) |
| | 3 | 42.5 (1.67) | 46 (1.81) | 37.5 (1.48) | 34 (1.34) | 69.05 (2.72) | 72.6 (2.86) |
| | 5 | 46.5 (1.83) | 50.4 (1.98) | 47.5 (1.87) | 43 (1.69) | 77.83 (3.06) | 81.7 (3.22) |
| CF | 1/2 | 27 (1.06) | 29.2 (1.15) | 17 (0.67) | 15 (0.59) | 44.60 (1.76) | 46.8 (1.84) |
| | 1 | 29 (1.14) | 31.4 (1.24) | 21.8 (0.86) | 20 (0.79) | 48.84 (1.92) | 51.2 (2.02) |
| | 1 1/2 | 34 (1.34) | 36.8 (1.45) | 26.5 (1.04) | 24 (0.94) | 56.33 (2.22) | 59.1 (2.33) |
| | 2 | 36 (1.42) | 39 (1.54) | 30 (1.18) | 27 (1.06) | 59.91 (2.36) | 62.9 (2.48) |
| | 3 | 42.5 (1.67) | 46 (1.81) | 37.5 (1.48) | 34 (1.34) | 69.05 (2.72) | 72.6 (2.86) |
| | 5 | 46.5 (1.83) | 50.4 (1.98) | 47.5 (1.87) | 43 (1.69) | 77.83 (3.06) | 81.7 (3.22) |

| Model | Cap. (Tons) | Std. "g" dimension mm (in.) | Discard "g" dimension mm (in.) | Std. "u" dimension mm (in.) | Discard "u" dimension mm (in.) | Std. "k" dimension mm (in.) | Discard "k" dimension mm (in.) |
|-------|--------------|-----------------------------------|--------------------------------------|-----------------------------------|--------------------------------------|-----------------------------------|--------------------------------------|
| ES,EF | 1/4, 1/2 Top | 28 (1.02) | 30.3 (1.19) | 23.5 (0.93) | 21 (0.83) | 45.90 (1.81) | 52.78 (2.08) |
| | 1/4, 1/2 Bot | 24 (0.94) | 25.2 (0.99) | 42.00 (1.65) | 48.30 (1.90) | No boss marks to reference. | |
| | 1 | 31 (1.22) | 33.5 (1.32) | 31 (1.22) | 28 (1.10) | 49.80 (1.96) | 57.27 (2.25) |
| | 1 1/2 Top | 37 (1.46) | 40.1 (1.58) | 40 (1.57) | 36 (1.42) | 62.50 (2.46) | 71.88 (2.83) |
| | 1 1/2 Bot | 34 (1.34) | 37 (1.46) | 36.5 (1.44) | 33 (1.30) | 59.80 (2.35) | 68.77 (2.71) |
| | 2 | 37 (1.46) | 40.1 (1.58) | 40 (1.57) | 36 (1.42) | 62.50 (2.46) | 71.88 (2.83) |
| | 2 1/2 Top | 44 (1.75) | 48.7 (1.92) | 47.5 (1.87) | 43 (1.69) | 93.91 (3.70) | 108.00 (4.25) |
| | 2 1/2 Bot | 40 (1.57) | 44.4 (1.75) | 43.5 (1.71) | 39 (1.54) | 88.12 (3.47) | 101.34 (3.99) |
| | 3 | 44 (1.75) | 48.7 (1.92) | 47.5 (1.87) | 43 (1.69) | 93.91 (3.70) | 108.00 (4.25) |
| | 5 | 46 (1.81) | 49.9 (1.96) | 56 (2.20) | 50 (1.97) | 78.24 (3.08) | 89.98 (3.54) |
| | 7 1/2, 8 | 62 (2.44) | 68 (2.68) | 73 (2.87) | 66 (2.60) | 120.4 (4.74) | 138.46 (5.45) |
| | 10 | 62 (2.44) | 68 (2.68) | 73 (2.87) | 66 (2.60) | 120.4 (4.74) | 138.46 (5.45) |
| | 15 | 79 (3.11) | 83 (3.27) | 87 (3.43) | 78 (3.07) | No boss marks to reference. | |
| | 20 | 86 (3.39) | 90.3 (3.56) | 99.5 (3.92) | 90 (3.54) | | |